## CLAIMS ATTACHMENT

WHAT IS CLAIMED IS:

1. (Currently Amended) A fire fighting system, comprising:

pumping at least 2000 gpm water from a large water reservoir toward an industrial hazard ~~including~~ using a standard pump having a water manifold inlet but no special approximately 2 ½ inch inlet; and

adding, in an around-the-pump system, at least one water additive from ~~an~~ a water additive source to the pumped water through a fitting at least initially separate from the standard pump, ~~the standard pump including a water manifold inlet,~~ the fitting established on a suction side of the pump upstream of the pump water manifold inlet and in fluid communication between a reservoir outlet and the suction side.

2. (Currently Amended) The system of claim 1 including adding the at least one water additive ~~to a line~~ through the fitting~~, the line in fluid communication between~~

~~1) a source of water additive and a the suction side~~

~~of the pump and between~~

~~2) a the reservoir outlet and a the suction side of~~

~~the pump.~~ located between the source of water additive and the suction side of the pump and adding the at least one water additive into a line located between the reservoir outlet and the suction side of the pump.

3. (Withdrawn) The system of claim 1 including locating the fitting at a reservoir outlet.

4. (Withdrawn) The system of claim 1 including locating the fitting at a suction side of the pump.

5. (Currently Amended) The system of claim 1 including locating the fitting in a line leading from a the reservoir outlet to a the suction side of the pump.

6. (Currently Amended) The system of claim 1 wherein the around-the-pump system includes porting, through a line established on a discharge side of the pump, at least a portion of water from the discharge side to a the suction side of the pump.

7. (Currently Amended) The system of claim 6 wherein the porting includes porting through a jet pump in fluid communication with a the source of water additive.

8. (Original) The system of claim 1 wherein the water additive includes foam concentrate.

9. (Currently Amended) A fire fighting system, comprising;

a large water reservoir;

an at least 2000 gpm standard pump having a water manifold inlet but no special approximately 2 ½ inch inlet;

a source of water additive; and

a fitting at least initially separate from the pump and attached between and adapted for fluid communication with

1) a reservoir outlet and a suction side of the pump and

2) ~~an~~ the water additive source and ~~a~~ the suction side of the pump

wherein the fitting is established on a suction side of the pump upstream of the pump water manifold inlet.

10. (Withdrawn) The apparatus of claim 9 with the fitting structured to provide an inlet for a water additive line from the additive source.

11. (Withdrawn) The apparatus of claim 9 wherein the fitting is adapted to attach to a reservoir outlet.

12. (Withdrawn) The apparatus of claim 9 wherein the fitting is adapted to attach to a suction side of the pump.

13. (Currently Amended) The apparatus of claim 9 wherein the fitting is adapted to attach in a line ~~running from~~ located between ~~a~~ the reservoir outlet to ~~a~~ and the suction side of the pump.

14. (Withdrawn) The apparatus of claim 9 wherein the fitting is adapted to attach to a jet pump outlet, the jet pump in fluid communication with a source of water additive.

15. (Original) The apparatus of claim 9 wherein the water additive includes foam concentrate.

16. (Currently Amended) A fire fighting system, comprising;

a large water reservoir;

an at least 2000 gpm standard pump having a water manifold inlet but no special approximately 2 ½ inch inlet;

a source of water additive; and

means separate from the pump for connecting an around-the-pump additive supply line with a the suction side of the pump, the connecting means established on a suction side of the pump upstream of the pump water manifold inlet.

17. (Currently Amended) A fire fighting system, comprising;

attaching at least one line for fluid communication of water from a large reservoir to an at least 2000 gpm standard pump having a water manifold inlet but no special approximately 2 ½ inch inlet;

attaching at least one around-the-pump line for fluid communication of output from a discharge side of the pump to a suction side of the pump;

attaching at least one fitting providing for fluid communication through the around-the-pump line to a the suction side of the pump wherein the fitting is established on a the suction side of the pump upstream of the pump water manifold inlet.